OKLAHOMA STATE BUREAU OF INVESTIGATION Management of Information Systems



OSBI Type-2 Record Specifications Version 4.01

Revised March 29, 2005

Table of Revisions

Release Date	Version ID	Notes, Comments, and References
	Draft	
	Version 1.0	
	Version 2.0	
Sept 30, 1999	Version 3.0	
Aug 29, 2000	Version 3.1	Changed DNA Available to DNA Sample Available.
Sept 13, 2000	Version 3.2	Changed length of TOT from 3 to 4 bytes.
June 13, 2001	Version 3.3	Moved field 2.037 to 2.045 and adjusted remaining field numbers accordingly.
Sept 24, 2001	Version 3.4	Changed Sex Codes to match OSBI CCH. Change length of MNU from 18 to 15 bytes.
Nov 20, 2001	Version 3.5	Updated OCA definition to comply with EFTS (V7). Changed POB to Required Criminal Changed AKA length from 32 to 30.
Nov 27, 2001	Version 3.6	Added AST field. Added ADC field. Added RS = Required on State Charge to AST field. Renamed FDL to ADL and made it required criminal.
May 16, 2002	Version 3.6-1	Added field 2.048 BID to accommodate routing of livescan responses.
June 14, 2002	Version 3.6-2	Changed wording on page 4 for fields ADC and ADL per Printrak's request.
June 25, 2002	Version 3.6-3	Removed required RA/RC from field 2.003 TCN. Changed description of field 2.043 RFP. Added Examples to table. Added Field 2.049 AMP.
July 1, 2002	Version 3.6-4	Modified definition of field 2.044 TAA. Added list of valid transaction types for field 2.004 TOT. Expanded field 2.003 TCN to meet new AFIS/CCH format.
Sep 8, 2003	Version 4.0	Combined Fields 2.036 Arrest Offense Literal, 2.037 Arrest Disposition Literal, 2.038 Felony or Misdemeanor, 2.039 Crime Against Child, 2.040 Crime Against Disabled, 2.041 Crime Against Elderly, 2.042 Domestic Abuse Crime, 2.045 General Offense Character, 2.046 Arrest Offense Statute, 2.047 Arrest Disposition Code into 2.036 Arrest Segment Literal. This required renumber of all the fields after 2.036. Added field 2.041 Username. Removed RA from field 2.024 Juvenile Fingerprint Submission.
March 29, 2005	Version 4.01	Made POB required for Applicants. Made Charge Counts 3 characters long 000 to 999.

i

Table of Contents

Record Layout For Type-2 Record	1
Field Edit Specifications For Type-2 Record	6
Type-2 Record Examples	.13

RECORD LAYOUT FOR OSBI TYPE-2 RECORD

Field Codes: S = Subfield Type Codes: C = Character N = Integer Required Codes:

RA = Required on Applicant Card RC = Required on Criminal Card

RA/RC = Required on Applicant and Criminal Card RS = Required on State Charge

RS = Required on State Charge RM = Required on Municipal Charge Note: All fields are required, if known.

Field <u>Number</u>	Message <u>Field Code</u>	<u>Description</u>	<u>Type</u>	<u>Length</u>	<u>Occurrences</u>	Required	<u>Example</u>
2.001	LEN	Logical Record Length	N	4	1	RA/RC	2.001:00696 <gs></gs>
2.002	IDC	Image Designation Character	N	2	1	RA/RC	2.002:00 <g\$></g\$>
2.003	TCN	Transaction Control Number	С	15	1		2.003:A-LVJ658475800 <gs></gs>
2.004	тот	Type of Transaction	С	4	1	RA/RC	2.004:LV <gs></gs>
2.005	soc	Social Security Number	С	9	0-1		2.005:443223456 <gs></gs>
2.006	MNU	Misc. Identification Number	С	15	0-4		2.006:AF-0098666 <rs>MD-347465<gs></gs></rs>
2.007	SID	State Identification Number	N	8	0-1		2.007:123456 <gs></gs>
2.008	FBI	FBI Number	С	9	0-1		2.008:62760OK12 <gs></gs>
2.009	NAM	Name	С	30	1	RA/RC	2.09:DOE, JOHN PAUL <gs></gs>
2.010	AKA	Aliases and Monikers	С	30	0-10		2.010:A-DOE, JOHNNY <rs>M-BUBBA<gs></gs></rs>
2.011	RAC	Race	С	1	1	RA/RC	2.011:W <gs></gs>
2.012	SEX	Gender	С	1	1	RA/RC	2.012:M <gs></gs>
2.013	DOB	Date Of Birth	N	8	1	RA/RC	2.013:19720531 <gs></gs>
2.014	EYE	Color Eyes	С	3	1	RA/RC	2.014:BLU <gs></gs>

Field <u>Number</u>	Message <u>Field Code</u>	<u>Description</u>	<u>Type</u>	<u>Length</u>	<u>Occurrences</u>	Required	Example
2.015	HGT	Height	N	3	1	RA/RC	2.015:601 <gs></gs>
2.016	WGT	Weight	N	3	1	RA/RC	2.016:210 <g\$></g\$>
2.017	HAI	Hair Color	С	3	1	RA/RC	2.017:BRO <gs></gs>
2.018	ICO	Identification Comments	С	50	0-1		2.018:ARMED AND DANGEROUS <gs></gs>
2.019	РОВ	Place Of Birth	С	2	1	RA/RC	2.019:OK <gs></gs>
2.020	SMT	Scars, Marks, And Tattoos	С	10	0-10		2.020:MC ACNE <rs>MISS ADND<rs>DA ALCOHOL<gs></gs></rs></rs>
2.021	СТΖ	Country of Citizenship	С	2	0-1	RA/RC	2.021:US <gs></gs>
2.022	FPC	NCIC Fingerprint Classification	С	20	0-1		2.022:AAXXP158PMXM62POTTDI <gs></gs>
2.023	DPR	Date Printed	N	8	1	RA/RC	2.023:20020626 <gs></gs>
2.024	JVF	Juvenile Fingerprint Submission	С	1	0-1	RC	2.024:Y <gs></gs>
2.025	PPA	Palm Prints Available	С	1	0-1		2.025:Y <g\$></g\$>
2.026	PHT	Photo Available	С	1	0-1		2.026:Y <g\$></g\$>
2.027	DNA	DNA Sample Available	С	1	0-1		2.027:N <gs></gs>
2.028	DOA	Date Of Arrest	N	8	0-1	RC	2.028:20020626 <gs></gs>
2.029	EAD	Employer & Address	С	120	0-1		2.029:ACE COMPANY, 327 MAPLE AVE, BUFFALO, NY <gs></gs>
2.030	ОСР	Occupation	С	50	0-1		2.030:CONSTRUCTION WORKER <gs></gs>
2.031	RES	Residence of Person Printed	С	120	0-1		2.031:509 S. CRAWFORD AVE. OKC, OK 73116 <gs></gs>
2.032	OTN	Offender Tracking Number	С	10	0-1	RC	2.032:000000018J <gs></gs>
2.033	OCA	Originating Agency Case Number	С	8	0-1		2.033:65438790 <gs></gs>

Field <u>Number</u>	Message <u>Field Code</u>	<u>Description</u>	<u>Type</u>	<u>Length</u>	<u>Occurrences</u>	<u>Required</u>	Example
2.034	DOO	Date Of Offense	N	8	0-1		2.034:20020626 <gs></gs>
2.035	ORI	Originating Agency	С	9	1	RA/RC	2.035:OK0140000 SO CLEVELAND CO, NORMAN, OK <gs></gs>
2.036	ASL	Arrest Segment Literal	SET		0-10	RC	2.036:M <us>001<us><us>DUI<us><us>M<us>N<us>N<us>N<us>N<us>N<us>N<us>221<us>REFFERED TO D.A.<rs>S<us>002<us>2107010007<us>MURDER FIRST DEGREE<us>A<us>F<us>Y<us>Y<us>Y<us>N<us>222 <us>REF TO MUN.PROSECUTOR<gs></gs></us></us></us></us></us></us></us></us></us></us></us></rs></us></us></us></us></us></us></us></us></us></us></us></us></us>
S	СТР	Charge Type	С	1		RS/RM	
S	CNT	Charge Count	С	3		RS/RM	
S	AST	Arrest Offense Statute	С	10		RS	
S	AOL	Arrest Offense Literal	С	50		RS/RM	
S	GOC	General Offense Code	С	1			
S	FOM	Felony or Misdemeanor	С	1		RS/RM	
S	CAC	Crime Against Child	С	1		RS/RM	
S	CAD	Crime Against Disabled	С	1		RS/RM	
S	CAE	Crime Against Elderly	С	1		RS/RM	
S	DAC	Domestic Abuse Crime	С	1		RS/RM	
S	ADC	Arrest Disposition Code	С	3		RS/RM	
S	ADL	Arrest Disposition Literal	С	30		RS/RM	
2.037	RFP	Reason Fingerprinted	С	30	1	RA	2.037:8090 APPLICANT-OSBI <gs></gs>
2.038	TAA	Treat As Adult	С	1	0-1		2.038:Y <gs></gs>
2.039	BID	Booking ID	С	12	1	RA/RC	2.039:000411311879 <gs></gs>
2.040	AMP	Amputated or Bandaged	С	SET	1		2:040:03 <us>XX<rs>09<us>UP<gs></gs></us></rs></us>

OSBI Management of Information Systems

Field <u>Number</u>	Message <u>Field Code</u>	<u>Description</u>	<u>Type</u>	<u>Length</u>	<u>Occurrences</u>	Required	<u>Example</u>
2.041	USR	Username	С	30	1	RA/RC	2.041:lxtr0098 <gs></gs>

FIELD EDIT SPECIFICATIONS FOR OSBI TYPE-2 LOGICAL RECORD

<u>AMP</u> - Amputated or Bandaged. This grouped field contains information about amputated or bandaged fingerprints in an EFTS submission. It is comprised of two subfields, Finger Number (FGP), and Amputated Or Bandaged Code (AMPCD). The two-character finger position code is followed by the separator and the amputated or bandaged code. Multiple fingers shall be separated by the separator. This field is to be used anytime there are fewer than ten printable fingers in a ten-print submission. A partially scarred finger should be printed.

Two characters represent each finger number as follows:

Finger Position	<u>FGI</u>
Right thumb	01
Right index	02
Right middle	03
Right ring	04
Right little	05
Left thumb	06
Left index	07
Left middle	80
Left ring	09
Left little	10

The following is a list of allowable indicators for the AMPCD:

DescriptorAMPCDAmputationXXUnable to print (e.g., bandaged)UP

The following example indicates that the third finger is amputated and that the submitter did not, or was unable to, supply a print of the ninth finger.

2.084:03XX09UP

<u>AKA</u> - Aliases and Monikers. This field contains alias names and monikers of the subject. The format of the data shall be a single-letter identifying code (either an "A" for alias or "M" for moniker), followed by a hyphen (-), followed by the alias or moniker itself. The format for the alias name is the same as described in the NAM field, including NCIC formatting rules, and the same 30-character limit applies to the field length. There are no formatting rules for the moniker but it also has the same 30-character limit for the field length. Up to ten aliases and/or monikers may be provided, separated from one another by the RS character. For example say Doe, John Billy has an alias name of "Doe, Johnny Billy", it would be entered as "A-Doe, Johnny Billy". Lets say he also has a moniker, "JoJo", it would be entered as "M-JoJo".

- <u>ASL</u> Arrest Segment Literal. This field is made up of the following sub fields: Charge Type (CTP), Charge Count (CNT), Arrest Offense Statute (AST), Arrest Offense Literal (AOL), General Offense Code (GOC), Felony or Misdemeanor (FOM), Crime Against Child (CAC), Crime Against Disabled (CAD), Crime Against Elderly (CAE), Domestic Abuse Crime (DAC), Arrest Disposition Code (ADC), and the Arrest Disposition Literal (ADL). Each occurrence of the ASL shall be separated from the next by the RS separator character. Each sub field shall be separated from the next by the US separator character.
 - <u>CTP</u> **Charge Type.** This sub field is used to indicate the charge type. This sub field shall contain either an "S" for a state charge or an "M" for a municipal charge.
 - <u>CNT</u> Charge Count. This sub field is used to indicate the number of counts for a given charge. The count must be greater than 000 and less than 999. The count field must be 3 characters long e.g. 001.
 - <u>AST</u> Arrest Offense Statute. This sub field contains the statute number for an offense charged on an arrest. See the *OSBI Computer Code Specifications State Statutes (CIT) Code Table* for the acceptable identifying codes. **NOTE:** This sub field is only used when the Charge Type (CTP) is "S" If Charge Type (CTP) is "M" then this field is left blank. See examples on following page.
 - <u>AOL</u> Arrest Offense Literal. This sub field contains free text description of an offense charged on an arrest. If charge type is "S" then the AOL is the literal for the statute selected. If charge type is "M" then the AOL is the literal that was typed in by the user.
 - <u>GOC</u> General Offense Character. This sub field is used as a code conditioning the offense, i.e. A for Attempt to Commit, X for Aid/Abet. See the *OSBI Computer Code Specifications General Offense Character (GOC) Code Table* for the acceptable identifying codes. **NOTE:** This sub field is only used when the Charge Type (CTP) is "S" and is not a mandatory field. See examples on following page.
 - <u>FOM</u> Felony or Misdemeanor. This sub field is used to indicate whether the offense(s) charged to the subject was a felony or misdemeanor. This sub field shall contain either an "F" or an "M".
 - <u>CAC</u> Crime Against Child. This sub field is used to indicate if the crime the subject committed was against a child. This sub field can contain either a "Y" or an "N".
 - <u>CAD</u> Crime Against Disabled. This sub field is used to indicate if the crime the subject committed was against a disabled person. This sub field shall contain either a "Y" or an "N".
 - <u>CAE</u> Crime Against Elderly. This sub field is used to indicate if the crime the subject committed was against an elderly person. This sub field shall contain either a "Y" or an "N".
 - <u>DAC</u> **Domestic Abuse Crime.** This sub field is used to indicate if the crime the subject committed was domestic abuse. This sub field shall contain either a "Y" or an "N".
 - <u>ADC</u> Arrest Disposition Code. This sub field contains the arrest disposition code. If the disposition is not known at arrest use code "229". See the OSBI Computer Code Specifications Arrest Disposition (ADN) Code Table for the acceptable identifying codes.
 - <u>ADL</u> Arrest Disposition Literal. This sub field contains the literal description of the arrest disposition code. The literal is automatically populated when an ADC is selected.

The following examples illustrate the use of the ASL field:

Example 1: Municipal Charge

2.036:M<US>1<US>US>DUI<US><US>M<US>N<US>N<US>N<US>N<US>221<US>REFFERED TO D.A.<GS>

Example 2: State Charge with GOC

2.036:SCUS>2CUS>2107010007CUS>MURDER FIRST DEGREECUS>ACUS>FCUS>YCUS>YCUS>NCUS>222CUS>REF TO MUN.PROSECUTORCGS>

Example 3: State Charge without GOC

2.036:S<US>2<US>2107010007<US>MURDER FIRST DEGREE<US><US>F<US>Y<US>Y<US>Y<US>N<US>222<US>REF TO MUN.PROSECUTOR<GS>

Example 4: Municipal and State Charge

<u>BID</u> – **Booking ID.** This field contains the subject's Booking ID number that the submitting agency uses at the time of booking. This field shall be unique to each arrest and has a fixed length of 12 numeric characters. If the agency's Booking ID is less than 12 characters then the Booking ID should be padded with leading zeros. This ID number will be used to identify responses sent back to the livescan deployed in the submitting agency.

<u>CTZ</u> - Country of Citizenship. This field contains the name of the country of which the subject is a citizen. It is entered in the same format as specified in POB.

<u>DNA</u> - **DNA Sample Available.** If the DNA of the subject is available, this field shall contain a "Y"; otherwise, the field shall be omitted.

<u>DOA</u> - Date of Arrest. This field contains the date of arrest. The date shall appear as an eight-digit number in the format CCYYMMDD. The CCYY characters shall represent the year; the MM characters shall be the tens and units values of the month; the DD characters shall be the day in the month. For example, 19981215 represents December 15, 1998. The complete date shall not exceed the current date.

<u>DOB</u> - Date of Birth. This field contains the date of birth. It is entered as an eight-digit number in the same format as specified for DOA.

<u>DOO</u> - Date of Offense. This field contains the date of offense. The date shall appear as an eight-digit number in the same format as specified for <u>DOA</u>.

<u>DPR</u> - Date Printed. This field contains the date that the subject was fingerprinted. The format shall be the same as that specified for DOA.

- EAD Employer and Address. The name and address of the subject's employer may be entered into this field.
- <u>EYE</u> Color Eyes. This field is used to indicate the subject's color of eyes. See the *OSBI Computer Code Specifications Eye Color (EYE) Code Table* for the acceptable identifying codes.
- FBI FBI Number. This field contains the subject's FBI number, if known. A valid FBI number shall be no more than nine alphanumeric characters.
- <u>FPC</u> NCIC Fingerprint Classification. If available, the NCIC fingerprint classification shall be entered in this field. This entry is composed of the concatenation of 2-character classification codes as shown in *Part IV of the NCIC Code Manual*.
- <u>HAI</u> Hair Color. This field is used to indicate the subject's color of hair. See the *OSBI Computer Code Specifications Hair Color (HAI) Code Table* for the acceptable identifying codes.
- HGT Height. This field contains the subject's height in feet and inches. If height is unknown, 000 is entered. For example enter 601 for 6 ft 1 in.
- <u>ICO</u> Identification Comments. Additional miscellaneous identification remarks providing the reason for caution may be entered in this field. The first character may not be a blank.
- <u>IDC</u> Image Designation Character. The Image Designation Character shall be a sequentially assigned positive integer starting from zero and increasing by one for each finger position, image, or Type-2 record present. Each IDC value matches a value in the Content (CNT) field of the Type-1 message header.
- <u>JVF</u> **Juvenile Fingerprint Submission.** If the subject is a juvenile (under 18 at date of arrest), this field shall contain a "Y"; otherwise, the field shall be omitted.
- <u>LEN</u> Logical Record Length. This field contains the length of the logical record specifying the total number of bytes, including every character of every field contained in the record. The length of the LEN field is included in the total length of the record.
- <u>MNU</u> Miscellaneous Identification Number. If there are any miscellaneous identification numbers, they shall be entered in this field. The format of the data shall be a two-letter identifying code, followed by a hyphen (-), followed by the number itself. See the OSBI Computer Code Specifications Misc Number (MNU) Code Table for the acceptable identifying codes.
- <u>NAM</u> Name. This field contains the name(s) of the subject. The format shall be the surname followed by a comma (,) followed by the given name(s), which are separated by a space. *Part IV of the NCIC Code Manual* describes in greater detail the manner in which each name is to be

entered.

- <u>OCA</u> Originating Agency Case Number. This field contains the submitting agency 's case number. The Oklahoma State Bureau of Investigation's OCA field is 8 characters. According to EFTS (V7), when submitting to the FBI the OCA field is 10 characters for a Criminal transaction and 15 characters for an Applicant transaction. To comply with the FBI, the OSBI recommends padding the OCA field with zeros.
- **OCP** Occupation. This free text field contains the subject's occupation.
- <u>ORI</u> Originating Agency. This field contains the NCIC ORI for the submitting agency. See the *OSBI Computer Code Specifications Originating Agency (ORI) Code Table* for the acceptable identifying codes.
- <u>OTN</u> Offender Tracking Number. This field contains a unique pre-assigned identifier for the arrest if number is less than ten bytes left fill with zeros.
- PHT Photo Available. If a photograph of the subject is available, this field shall contain a "Y"; otherwise, the field shall be omitted.
- <u>POB</u> Place of Birth. The subject's place of birth shall be entered in this field. See the OSBI Computer Code Specifications Place of Birth (POB) Code Table for the acceptable identifying codes.
- PPA Palm Prints Available. If palm prints are available, this field shall contain a "Y"; otherwise, the field shall be omitted.
- <u>RAC</u> Race. This field is used to indicate the race of the subject. See the OSBI Computer Code Specifications Race (RAC) Code Table for the acceptable identifying codes.
- RES Residence of Person Fingerprinted. The subject's residential address may be entered in this field as alphanumeric data.
- <u>RFP</u> Reason Fingerprinted. This field is used to indicate the purpose of a civil or applicant fingerprint card submission. See the *OSBI Computer Code Specifications Applicant Type (ATT) Code Table* for the acceptable identifying codes.
- **SEX Gender.** This field is used to report the gender of the subject. The entry is a single character selected from the following table:

If Following Condition Exists

Enter Code

Female Gender F
Male Gender M
Gender unknown U

- SID State Identification Number. This field contains any known state identification number.
- <u>SMT</u> Scars, Marks, and Tattoos. This field contains scar(s), mark(s), or tattoo(s) present on the subject. See the *OSBI Computer Code Specifications Scars, Marks and Tattoos (SMT) Code Table* for the acceptable identifying codes.
- <u>SOC</u> Social Security Account Number. This field contains the subject's social security number, if known. This number shall be entered as nine consecutive digits with no embedded punctuation characters. No foreign social security numbers shall be used.
- <u>TAA</u> Treat as Adult. If the subject is under the age of 18 and is being treated as an adult, this field will contain a "Y", otherwise, this field shall be omitted. This field is currently not being used. All subjects under the age of 18 at date of arrest should be handled as a Juvenile.

<u>TOT</u> - Type of Transaction. This field contains the type of transaction being submitted. The following is a list of valid transaction types:

<u>Transaction Types</u> <u>Description</u>

LV Criminal tenprint card submitted by a remote Livescan.

LVJ Criminal juvenile tenprint card submitted by a remote Livescan.

LVA Civilian police applicant tenprint card submitted by a remote Livescan.

CRCS Criminal tenprint card submitted by a remote Cardscan via Internet, or other means.

CRDA Criminal tenprint card submitted using dissimilar AFIS via Internet, or other means.

<u>TCN</u> - Transaction Control Number. This field contains up to a fifteen-digit unique identifier assigned to the transaction. The TCN format is shown below.

[S]-[TOT][nnnnnnnnn]

where S is A for AFIS generated TCNs and C for CCH generated TCNs *TOT* is type of transaction (see TOT definition above) *nnnnnnnn* is a nine-digit numeric

NOTE: For a transaction type of CRDA, the TOT in the TCN = RTP For a transaction type of CRCS, the TOT in the TCN = CS

<u>USR</u> – **Username.** This field contains the username of the person taking the prints. The booking device is responsible for adding the username before the booking is sent to the OSBI.

WGT - Weight. In this field the subject's weight in pounds is entered. If weight is unknown, 000 is entered.

TYPE-2 RECORD EXAMPLES

This section contains Type-2 record examples for the following transaction types (TOT): LV, LVJ, LVA, CRCS, and CRDA. **NOTE:** Carriage returns and separator representations were inserted for readability. Field 2.001 (Length) is not correct in examples.

Separator	Decimal Value	Hex Value
<fs></fs>	28	1C
<gs></gs>	29	1D
<rs></rs>	30	1E
<us></us>	31	1F

LV TRANSACTION

2.001:00696<GS>

2.002:00<GS>

2.004:LV<GS>

2.005:443223456<GS>

2.006:AF-0098666<RS>MD-347465<GS>

2.007:123456<GS>

2.008:62760OK12<GS>

2.009:DOE. JOHN PAUL<GS>

2.010:A-DOE, JOHNNY<RS>M-BUBBA<GS>

2.011:W<GS>

2.012:M<GS>

2.013:19750531<GS>

2.014:BLU<GS>

2.015:601<GS>

2.016:210<GS>

2.017:BRO<GS>

2.018:ARMED AND DANGEROUS<GS>

2.019:OK<GS>

2.020:MC ACNE<RS>MISS ADND<RS>DA ALCOHOL<GS>

2:021:US<GS>

2.022:AAXXP158PMXM62POTTDI<GS>

2:023:20020626<GS>

2.025:Y<GS>

2.026:Y<GS>

2.027:N<GS>

2.028:20020626<GS>

2.029:ACE COMPANY, 327 MAPLE AVE, BUFFALO, NY<GS>

2.030:CONSTRUCTION WORKER<GS>

2.031:509 S. CRAWFORD AVE. OKC, OK 73116<GS>

2.032:00000018J<GS>

2.033:65438790<GS>

2.034:20020626<GS>

2.035:OK0140000 SO CLEVELAND CO, NORMAN, OK<GS>

2.036:M<US>1<US><US>DUI<US><US>N<US>N<US>N<US>N<US>N<US>>221<US>REFFERED TO D.A.<RS>S<US>2<US>2<107010007<US>MURDER FIRST DEGREE<US>A<US>F<US>Y<US>Y<US>Y<US>Y<US>N<US>222<US>REF TO MUN.PROSECUTOR<RS> S<US>2<US>2103490000<US>INJURING OR BURNING PUBLIC BUILDING<US><US>F<US>N<US>N<US>N<US>N<US>N<US>N<US>DISPOSITION UNKNOWN

2.039:000411311879<GS>

2:040:03<US>XX<RS>09<US>UP<GS>

LVJ TRANSACTION

2.001:00702<GS>

2.002:00<GS>

2.004:LVJ<GS>

2.005:456453456<GS>

2.007:123456<GS>

2.008:62760OK12<GS>

2.009:DOE, JOHN PAUL<GS>

2.010:A-DOE, JOHNNY<RS>M-BUBBA<GS>

2.011:W<GS>

2.011:W<GS>

2.013:19880531<GS>

2.014:BLU<GS>

2.015:601<GS>

2.016:210<GS>

2.017:BRO<GS>

2.018:ARMED AND DANGEROUS<GS>

2.019:OK<GS>

2.020:MC ACNE<RS>MISS ADND<RS>DA ALCOHOL<GS>

2:021:US<GS>

2.022:AAXXP158PMXM62POTTDI<GS>

2:023:20020626<GS>

2:024:Y<GS> ← This is always "Y" in an LVJ transaction.

2.025:Y<GS>

2.026:Y<GS>

2.027:N<GS>

2.028:20020626<GS>

2.029:ACE COMPANY, 327 MAPLE AVE, BUFFALO, NY<GS>

2.030:CONSTRUCTION WORKER<GS>

2.031:509 S. CRAWFORD AVE. OKC, OK 73116<GS>

2.032:000000018J<GS>

2.033:65438790<GS>

2.034:20020626<GS>

2.035:OK0140000 SO CLEVELAND CO, NORMAN, OK<GS>

2.039:000411311879<GS>

2:040:03<US>XX<RS>09<US>UP<GS>

<u>LVA TRANSACTION</u> 2.001:00705<GS>

2.002:00<GS>

2.004:LVA<GS>

2.005:443223456<GS>

2.006:AF-0098666<RS>MD-347465<GS>

2.008:62760OK12<GS>

2.009:DOE, JOHN PAUL<GS>

2.010:A-DOE, JOHNNY<RS>M-BUBBA<GS>

2.011:W<GS>

2.012:M<GS>

2.013:19750531<GS>

2.014:BLU<GS>

2.015:601<GS>

2.016:210<GS>

2.017:BRO<GS>

2.019:OK<GS>

2:021:US<GS>

2:023:20020626<GS>

2.029:ACE COMPANY, 327 MAPLE AVE, BUFFALO, NY<GS>

2.031:509 S. CRAWFORD AVE. OKC, OK 73116<GS>

2.033:65438790<GS>

2.035:OK0140000 SO CLEVELAND CO, NORMAN, OK<GS>

2.037:8099 APPLICANT-POLICE OFFICER TITLE 70.OS.3311F<GS>

2.039:000411311879<GS>

CRCS TRANSACTION

2.001:00696<GS> 2.002:00<GS>

2.004:CRCS<GS>

2.005:443223456<GS>

2.006:AF-0098666<RS>MD-347465<GS>

2.007:123456<GS>

2.008:62760OK12<GS>

2.009:DOE, JOHN PAUL<GS>

2.010:A-DOE, JOHNNY<RS>M-BUBBA<GS>

2.011:W<GS>

2.012:M<GS>

2.013:19750531<GS>

2.014:BLU<GS>

2.015:601<GS>

2.016:210<GS>

2.017:BRO<GS>

2.018:ARMED AND DANGEROUS<GS>

2.019:OK<GS>

2.020:MC ACNE<RS>MISS ADND<RS>DA ALCOHOL<GS>

2:021:US<GS>

2.022:AAXXP158PMXM62POTTDI<GS>

2:023:20020626<GS>

2.025:Y<GS>

2.026:Y<GS>

2.027:N<GS>

2.028:20020626<GS>

2.029:ACE COMPANY, 327 MAPLE AVE, BUFFALO, NY<GS>

2.030:CONSTRUCTION WORKER<GS>

2.031:509 S. CRAWFORD AVE. OKC, OK 73116<GS>

2.032:000000018J<GS>

2.033:65438790<GS>

2.034:20020626<GS>

2.035:OK0140000 SO CLEVELAND CO, NORMAN, OK<GS>

2.036:M<US>001<US><US>DUI<US><US>M<US>N<US>N<US>N<US>N<US>N<US>N<US>221<US>REFFERED TO D.A.<RS>S<US>2<US>2107010007<US>MURDER FIRST DEGREE<US>A<US>F<US>Y<US>Y<US>Y<US>N<US>222<US>REF TO MUN.PROSECUTOR<RS> S<US>002<US>2103490000<US> INJURING OR BURNING PUBLIC

BUILDING <US><US>F<US>N<US>N<US>N<US>V<US>DISPOSITION UNKNOWN<

2.039:000411311879<GS>

2:040:03<US>XX<RS>09<US>UP<GS>

CRDA TRANSACTION

2.001:00696<GS>

2.002:00<GS>

2.004:CRDA<GS>

2.005:443223456<GS>

2.006:AF-0098666<RS>MD-347465<GS>

2.007:123456<GS>

2.008:62760OK12<GS>

2.009:DOE, JOHN PAUL<GS>

2.010:A-DOE, JOHNNY<RS>M-BUBBA<GS>

2.011:W<GS>

2.012:M<GS>

2.013:19750531<GS>

2.014:BLU<GS>

2.015:601<GS>

2.016:210<GS>

2.017:BRO<GS>

2.018:ARMED AND DANGEROUS<GS>

2.019:OK<GS>

2.020:MC ACNE<RS>MISS ADND<RS>DA ALCOHOL<GS>

2:021:US<GS>

2.022:AAXXP158PMXM62POTTDI<GS>

2:023:20020626<GS>

2.025:Y<GS>

2.026:Y<GS>

2.027:N<GS>

2.028:20020626<GS>

2.029:ACE COMPANY, 327 MAPLE AVE, BUFFALO, NY<GS>

2.030:CONSTRUCTION WORKER<GS>

2.031:509 S. CRAWFORD AVE. OKC, OK 73116<GS>

2.032:000000018J<GS>

2.033:65438790<GS>

2.034:20020626<GS>

2.035:OK0140000 SO CLEVELAND CO, NORMAN, OK<GS>

2.039:000411311879<GS>

2:040:03<US>XX<RS>09<US>UP<GS>